

Keighley and Ilkley Area Profile

Population

Keighley and Ilkley – 2022 Population

100,621 

0.8% increase since 2021 population estimates

The Joint Strategic Needs Assessment (JSNA) provides information on the current and future health and wellbeing needs of people in Bradford District visit
<https://jsna.bradford.gov.uk>

Population by Ward

Keighley and Ilkley - population by ward	Total Population
Craven	17,955
Ilkley	15,170
Keighley Central	18,746
Keighley East	17,225
Keighley West	17,273
Worth Valley	14,252

Keighley Central (18,746) has the highest population of residents in Keighley and Ilkley followed by Craven with 17,955.


Sex

Sex	Keighley and Ilkley	Bradford
Female	51,401	51.1%
Male	49,220	48.9%

51.1% of the population in Keighley and Ilkley are female which is similar to 50.9% in the district.


Keighley and Ilkley has a slightly higher proportion of males (48.9%) compared to the district (49.1%).

Age



55% of the population in Keighley and Ilkley are aged 16 to 64 years with 20% aged 19 years and under and 21% aged 65 years and over. Keighley and Ilkley has a higher proportion of residents aged 65 years and over (21%) when compared to the overall district (15%)

Age Distribution



The graph shows the age distribution for the population of Keighley and Ilkley split by female and male.


Keighley and Ilkley has a higher older population for both male and female compared to the district.

Ethnicity

80.2% (79,669) of the population in Keighley and Ilkley describe themselves as White compared to 61.1% of the population in the district.

16.8% (16,677) of the population in Keighley and Ilkley describe themselves as Asian, Asian British or Asian Welsh compared with 32.1% in the district.


Mixed or Multiple ethnic groups Other ethnic groups account for 1,755; 1.8% of the Keighley and Ilkley compared to 2.7% of the Bradford district.



Ethnicity	Keighley	Bradford
Asian, Asian British or Asian Welsh	16677	16.8%
Black, Black British, Black Welsh, Caribbean or African	512	0.5%
Mixed or Multiple ethnic groups	1755	1.8%
Other ethnic group	767	0.8%
White	79669	61.1%

Wider Determinants of Health


Children (aged under 16) in absolute low income families (2024)



Children (aged under 16) in absolute low income families	Number and Percentage	
	(n)	(%)
Craven	311	11.1%
Ilkley	109	4.5%
Keighley Central	2733	60.8%
Keighley East	1161	32.0%
Keighley West	1322	34.5%
Worth Valley	349	15.4%
Keighley and Ilkley	5994	30.8%
Bradford	50293	40.2%

Fuel Poverty (2023)

In 2023, there was an estimated 6,267 (14.4%) of households in Keighley and Ilkley in fuel poverty compared to 15.9% in the district. (LSOA to best fit ward)



Households in fuel poverty	%	(n)
Bradford	15.9%	34,728
Keighley and Ilkley	14.4%	6267
Craven	12.1%	1018
Ilkley	10.3%	720
Keighley Central	22.0%	1362
Keighley East	14.0%	1047
Keighley West	15.2%	1135
Worth Valley	14.3%	985


Keighley Central was estimated to have the highest proportion of households in fuel poverty with 22.0% which is the only ward higher than the district (15.9%). Ilkley had the lowest proportion at 10.3%.

Unemployment

Working age population claiming out of work benefit (2021-22)


Keighley has a lower proportion (4.7%) of the working age population claiming out of work benefits compared to the district (8.2%).

Keighley Central has the highest proportion within the constituency (9.3%) followed by Keighley West at 6.5%. Ilkley had the lowest proportion at 1.9%.



Life expectancy and causes of early death

Life Expectancy 2020-22




Female life expectancy is higher than the district average in four of the six Keighley and Ilkley wards.

The lowest female life expectancy was in Keighley Central (76.5 years) and the highest in Worth Valley (85.2 years followed by Ilkley (84.4 years)

The male life expectancy is higher than the district average in four of the six wards in Keighley and Ilkley. Keighley Central has the lowest life expectancy for males (71.9 years) with Ilkley the highest at 82.1 years.


Premature mortality – Respiratory, Under 75 – (2020-22)

Keighley and Ilkley's under 75 respiratory mortality rate (16.3 per 100,000) is significantly better than the district average (40.0 per 100,000).




In 2020-22, Keighley Central (43.9 per 100,000) had the highest under 75 respiratory mortality rates in Keighley and Ilkley followed by Keighley West (42.4 per 100,000) higher than Bradford district. Ilkley had the lowest rate at 6.3 per 100,000.

Premature mortality - cardiovascular diseases (CVD) - Under 75 (2020-22)



In 2020-22, Keighley West (130.4) had the highest under 75 CVD mortality rates in Keighley and Ilkley with Ilkley ward the lowest rate, 52.6 per 100,000.

Premature mortality (Under 75) - Cancer (2020-22)




Keighley and Ilkley's under 75 cancer mortality average (126.1 per 100,000) is higher than the district average (131.4 per 100,000).

In 2020-22, Keighley Central (174.4 per 100,000) and Keighley West (162.7 per 100,000) had the highest U75 cancer mortality rates in Keighley and Ilkley.

Worth Valley had the lowest rate, 94.4 per 100,000 followed by Ilkley with 100.5 per 100,000.

Child Health


Infant Mortality 2021-2023



Keighley and Ilkley's infant mortality rate (9.7 per 1,000 live births) is higher than Bradford average (7.3 per 1,000 live births).

Keighley Central has the highest rate 22.6 per 1,000 live births within Keighley and Ilkley followed by Keighley East at 10.0 per 1,000 live births. Four of the six wards in Keighley and Ilkley were lower than Bradford rate of 7.3 per 1,000 live births.

Reception excess weight - 2021-22 to 2023-24




The prevalence of reception aged children who are overweight (including obesity) in Keighley and Ilkley (22.2%) is slightly lower compared to the district average

Keighley West has the highest prevalence of reception aged children who are overweight (28.7%) followed by Keighley East (23.4%) higher than the district.

Ilkley has the lowest prevalence of 15.9% within Keighley and Ilkley followed by Craven at 20.7%.

Year 6 excess weight – 2021-22 to 2023-24


Keighley and Ilkley's average Year 6 excess weight (35.2%) is below the district average (40.3%).



Keighley West has 45.7% of Year 6 children that are overweight or obese, which is higher than the district average, this is followed by Keighley Central with 45.6%.

Ilkley has the lowest prevalence of 18.5% followed by Craven (28.6%)

Emergency admissions due to injury in under 15 year olds (2016-21)




Keighley West had the highest rate in Keighley and Ilkley (119.1 per 10,000) with Ilkley 107.9 per 10,000. 5 of the 6 wards in Keighley were lower than the constituency rate and the district rate.

Mental Health

Depression and Mental Health - 2023-24

****Interpret with caution - estimated prevalence using best fit GP practice to individual ward**

In 2023-24, the estimated prevalence for depression (new diagnosis) is 1.3% with 1.1% for mental health within Bradford. Ilkley is estimated to have the highest prevalence of depression (new diagnosis) 1.3% with Worth Valley the highest prevalence estimates (1.4%) for Mental Health.



Disease and Poor Health

Coronary Heart Disease (CHD), Chronic Obstructive Pulmonary Disease (COPD), Dementia, Diabetes and Obesity (2023-24)


**Interpret with caution - estimated prevalence using best fit GP practice to individual ward

Estimated Percentage of Patients - GP Practices to best fit ward	% Coronary Heart Disease (CHD)	% Chronic Obstructive Pulmonary Disease (COPD)	% Dementia	% Diabetes	% Obesity
Craven	5.0	1.9	0.9	8.0	12.0
Ilkley	4.1	1.6	1.9	6.1	11.0
Keighley Central	3.5	1.5	1.2	7.7	13.1
Keighley East	4.2	2.4	1.3	7.6	16.2
Keighley West	4.1	2.4	1.1	8.2	15.3
Worth Valley	3.2	1.8	0.4	12.6	14.9
Bradford	3.1	2.0	0.7	9.9	15.8

In 2023-24, the estimated prevalence for Coronary Heart Disease (CHD) for Bradford is 3.1% with Chronic Obstructive Pulmonary Disease (COPD) 2.0%.


Craven has the highest estimated prevalence of CHD (5.0%) with Keighley Central the lowest at 3.1%. Keighley East and Keighley West having the highest estimated prevalence of COPD (2.4%) within Keighley and Ilkley.

Worth Valley is estimated to have the highest prevalence of diabetes at 12.6% and Keighley East the highest for obesity (16.2%). Ilkley is estimated to have the highest prevalence of dementia with 1.9% within other wards in Keighley and Ilkley this is ranged between 0.4% (Worth Valley) and 1.3% (Keighley East)



Smoking Prevalence (15 years +) - 2023-24

**Interpret with caution - estimated prevalence using best fit GP practice to individual ward



Area Profile Summary

Keighley and Ilkley

The chart shows how people's health and wellbeing within this area compares to Bradford district.

Values are rated using the RAG system where Red = worse than district average; Amber = same as district average and Green = better than district average.

Indicator	Period	England	Bradford	Keighley and Ilkley	Craven	Ilkley	Keighley Central	Keighley East	Keighley West	Worth Valley
Wider Determinants of Health										
Children in absolute low income families (under 16)	2024	18.7%	40.2%	30.8%	11.1%	4.5%	60.8%	32.0%	34.5%	15.4%
Fuel Poverty	2023	11.4%	15.9%	14.4%	12.1%	10.3%	22.0%	14.0%	15.2%	14.3%
Unemployment	2021-22	5.0%	8.2%	4.7%	2.2%	1.9%	9.3%	5.4%	6.5%	2.8%
Life Expectancy and Causes of Early Death										
Life Expectancy at birth - Females	2020-22	82.8	81.1	82.3	84.5	84.4	76.5	82.4	80.4	85.2
Life Expectancy at birth - Males	2020-22	78.9	76.6	77.4	80.3	82.1	71.9	77.6	75.3	78.1
Premature mortality - Respiratory (Under 75)	2020-22	28.9	40.0	16.3	14.2	6.3	43.9	41.1	42.4	20.7
Premature mortality - Cardiovascular diseases (CVD) - Under 75	2020-22	76.0	109.4	89.9	61.6	52.6	127.3	102.9	130.4	80.9
Premature mortality (Under 75) - Cancer	2020-22	111.4	131.4	126.1	109.7	100.5	174.4	125.0	162.7	94.4
Child Health										
Infant Mortality	2021-23	4.1	7.3	9.7	4.7	4.2	22.6	10.0	3.2	0.0
Reception excess weight	2021/22 - 2023/24	21.9%	22.3%	22.2%	20.7%	15.9%	22.3%	23.4%	28.7%	22.1%
Year 6 excess weight	2021/22 - 2023/24	36.7%	40.3%	35.2%	28.6%	18.5%	45.6%	42.0%	45.7%	31.2%
Emergency admissions due to injury in under 15 year olds	2016-21	92.0	113.4	103.2	101.6	107.9	104.4	89.8	119.1	94.0
Mental Health										
Depression prevalence (18 years +)	2023-24	1.5%	1.3%	–	1.1%	1.3%	1.2%	0.8%	1.2%	1.1%
Mental Health prevalence (all ages)	2023-24	1.0%	1.1%	–	1.0%	0.8%	1.0%	0.9%	1.2%	1.4%
Disease and Poor Health										
Coronary heart disease (CHD) - all ages	2023-24	3.0%	3.1%	–	5.0%	4.1%	3.5%	4.2%	4.1%	3.2%
Chronic obstructive pulmonary Disease (COPD) - all ages	2023-24	1.9%	2.0%	–	1.9%	1.6%	1.5%	2.4%	2.4%	1.8%
Dementia - all ages	2023-24	0.8%	0.7%	–	0.9%	1.9%	1.2%	1.3%	1.1%	0.4%
Diabetes - 17 years +	2023-24	7.7%	9.9%	–	8.0%	6.1%	7.7%	7.6%	8.2%	12.6%
Obesity - 18 years +	2023-24	12.8%	15.8%	–	12.0%	11.0%	13.1%	16.2%	15.3%	14.9%
Smoking Prevalence (15 years +)	2023-24	14.7%	17.3%	–	6.7%	7.2%	12.9%	7.6%	15.9%	19.1%

Indicator Definitions and Data Sources

Population	Data Source	
Population, Age, Gender, Ethnicity	Office for National Statistics www.ons.gov.uk	
Wider determinants of health	Data Source	Value field
Children in absolute low income families (under 16)	Department for Work and Pensions (www.gov.uk)	Percentage of children in absolute low income families (under 16) in 2024
Fuel Poverty	Department for Business, Energy and Industrial Strategy	The estimated proportion of households in an area that experience fuel poverty based on the "Low Income Low Energy Efficiency" (LILEE) methodology in 2023
Unemployment (Percentage of the working age population claiming out of work benefit)	Office for National Statistics (ONS), Official Census and Labour Market Statistics (NOMIS)	Percentage of the working age population who are claiming Jobseeker's Allowance plus those who claim Universal Credit and are required to seek work and be available for work in 2021-22
Life expectancy and causes of early death	Data Source	Value field
Life Expectancy at birth - Females	www.fingertips.phe.org.uk	Life expectancy at birth in years (females), 2020-22
Life Expectancy at birth - Males	www.fingertips.phe.org.uk	Life expectancy at birth in years (males), 2020-22
Premature mortality - Respiratory (Under 75)	www.fingertips.phe.org.uk	Under 75 mortality rate (dsr) per 100,000 population due to respiratory disease, 2020-22
Premature mortality - Cardiovascular diseases (CVD) - Under 75	www.fingertips.phe.org.uk	Under 75 mortality rate (dsr) per 100,000 population due to cardiovascular disease, 2020-22
Premature mortality (Under 75) - Cancer	www.fingertips.phe.org.uk	Under 75 mortality rate (dsr) per 100,000 population due to cancer, 2020-22
Child Health	Data Source	Value field
Infant Mortality	www.fingertips.phe.org.uk	Infant Mortality (deaths per 1,000 live births) 2021-23
Reception excess weight	www.fingertips.phe.org.uk	Percentage of reception children measured under NCMP with excess weight 2021/22 - 2023/24
Year 6 excess weight	www.fingertips.phe.org.uk	Percentage of Year 6 children measured under NCMP with excess weight 2021/22 - 2023/24
Emergency admissions due to injury in under 15 year olds	www.fingertips.phe.org.uk	Crude rate of hospital admissions caused by unintentional and deliberate injuries in children (aged under 15 years) per 10,000 resident population 2016-21

Mental Health	Data Source	Value field
Depression prevalence (18 years +)	www.fingertips.phe.org.uk	Estimated percentage of adults age 18+ with depression (new diagnosis) in 2023-24 (GP by LSOA and the LSOA to ward of best fit data)
Disease and Poor Health	Data Source	Value field
Coronary heart disease (CHD) - all ages	www.fingertips.phe.org.uk	Estimated percentage of population with CHD in 2023-24 (GP by LSOA and the LSOA to ward of best fit data)
Chronic obstructive pulmonary disease (COPD) - all ages	www.fingertips.phe.org.uk	Estimated percentage of population with COPD in 2023-24 (GP by LSOA and the LSOA to ward of best fit data)
Dementia - all ages	www.fingertips.phe.org.uk	Estimated percentage of population with dementia in 2023-24 (GP by LSOA and the LSOA to ward of best fit data)
Diabetes - 17 years +	www.fingertips.phe.org.uk	Estimated percentage of adults age 17+ with diabetes in 2023-24 (GP by LSOA and the LSOA to ward of best fit data)
Obesity - 18 years +	www.fingertips.phe.org.uk	Estimated percentage of adults age 18+ that are obese in 2023-24 (GP by LSOA and the LSOA to ward of best fit data)
Smoking Prevalence (15 years +)	www.fingertips.phe.org.uk	Estimated percentage of people aged 15+ that are smokers in 2023-24 (GP by LSOA and the LSOA to ward of best fit data)