

City of Bradford Metropolitan District Council
Department of Adult Social Care, Health and
Housing
Keighley and Ilkley Constituency
Population and Health Area Profile

**Public
Health
Intelligence**

**September
2026**

Key Points:

- Keighley and Ilkley's population aged 65 years and over is higher than the 0 to 15 years population.
- Keighley and Ilkley has an estimated 30.2% of children (aged under 16) in low income families.
- 10.7% of households in Keighley and Ilkley in fuel poverty.
- Female life expectancy at birth rate is 81.5 years and male life expectancy at birth is 76.3 years.
- Under 75 cancer mortality rate, under 75 cardiovascular disease mortality rate and under 75 respiratory disease mortality rate for Keighley and Ilkley are lower than the Bradford district rates.
- The infant mortality rate for Keighley and Ilkley is higher than Bradford district rate.
- The prevalence of reception aged children who are overweight (including obesity) in Keighley and Ilkley is higher than the Bradford district prevalence.
- The prevalence of year 6 aged children who are overweight (including obesity) in Keighley and Ilkley is lower than the Bradford district prevalence.
- Keighley and Ilkley has a lower estimated proportion of patients with depression (newly diagnosed') than the Bradford district.
- The estimated mental health prevalence in Keighley and Ilkley is the same as the Bradford district prevalence.
- Ilkley ward was estimated to have the highest prevalence of CHD (all ages) with Keighley East ward the highest prevalence of CODP (all ages) in Keighley and Ilkley.
- Keighley Central ward is estimated to have the highest prevalence of diabetes (17+ years) with Ilkley ward the highest prevalence of dementia (all ages).
- The estimated percentage of patients (aged 15 years and over) who are recorded as current smokers within Keighley and Ilkley is lower than the Bradford district.

Keighley and Ilkley Population Estimates 2024



101,455


0.4% increase since 2023 population estimates

1. Population

1.1 Keighley and Ilkley Population by Age and Sex

Latest population estimates for Keighley and Ilkley (2024) show 51,995 of the population are female with 49,460 male. Keighley and Ilkley's male population aged 0 to 15 to 18 to 21 is higher than the female population, from ages 25 and over, females have a higher population.

Figure 1: Keighley and Ilkley population estimates by age group and sex - 2024.



Data Source: www.ons.gov.uk

Keighley and Ilkley's population aged 0 to 15 years for both female and male is just under half of the population of 16 to 24 year olds (female and male). The population for 0 to 15 years is lower

in Keighley and Ilkley for female and male (9.4% and 9.8% respectively when compared to the overall district with 11.0% and 11.3%, respectively. 15.6% of residents are female aged 25 to 49 compared to 14.7% male lower than the Bradford district. Females aged 25 to 49 account for the highest proportion of Keighley and Ilkley's population. This is reflected in overall Bradford district population.

Keighley and Ilkley has a higher proportion of residents aged 50 to 64 years (10.2% female/9.6% male) when compared to the Bradford district at 8.7% female and 8.5% male. Keighley and Ilkley's population aged 16 to 24 years for both male and female is lower than the Bradford district.

Table 1: Population estimates and proportion of population by sex and age group – 2024.

Age	Male			Female		
	Keighley and Ilkley		Bradford	Keighley and Ilkley		Bradford
Aged 0 to 15	9,904	9.8%	11.3%	9,534	9.4%	11.0%
Aged 16 to 24	5,013	4.9%	6.0%	4,567	4.5%	5.6%
Aged 25 to 49	14,875	14.7%	16.1%	15,855	15.6%	17.2%
Aged 50 to 64	9,777	9.6%	8.5%	10,323	10.2%	8.7%
Aged 65+	9,891	9.7%	7.1%	11,716	11.5%	8.4%

Data Source: www.ons.gov.uk

1.2 Keighley and Ilkley Population by Ward and Sex

The 2024 population estimates that Keighley Central ward had a population of 19,337 which is the highest in Keighley and Ilkley, this is followed by Craven with an estimated 18,368 residents. For all six wards within Keighley and Ilkley the proportion of residents, female and male is similar, however, Keighley Central has a slightly higher male population.

Table 2: Population estimates and proportion of population by sex and ward – 2024.

Keighley and Ilkley - Population by Ward	Female		Male		Total Population
Craven	9,535	51.9%	8,833	48.1%	18,368
Ilkley	7,797	52.6%	7,026	47.4%	14,823
Keighley Central	9,544	49.4%	9,793	50.6%	19,337
Keighley East	8,841	51.0%	8,497	49.0%	17,338
Keighley West	9,029	51.7%	8,447	48.3%	17,476
Worth Valley	7,249	51.4%	6,864	48.6%	14,113

Data Source: www.ons.gov.uk

1.3 Keighley and Ilkley Population by Ethnicity (Census 2021)

The 2021 census estimated that 16.8% (16,677) of the population in Keighley and Ilkley describe themselves as Asian, Asian British or Asian Welsh compared to 32.1% of the population in the district. Keighley and Ilkley has a lower proportion of Black, Black British, Black Welsh, Caribbean or African (512 – 0.5%) and Mixed or multiple ethnic group (1,755 – 1.8%) compared with the population of the Bradford district (2.7%).


Table 3: Population estimates and proportion of population by ethnicity – Census 2021

Ethnicity	Asian, Asian British or Asian Welsh	Black, Black British, Black Welsh, Caribbean or African	Mixed or Multiple ethnic groups	Other ethnic group	White
Keighley and Ilkley	16677	512	1755	767	79669
	16.8%	0.5%	1.8%	0.8%	80.2%
Bradford	32.1%	2.0%	2.7%	2.0%	61.1%

Data Source: www.ons.gov.uk

80.2% (79,669) of the population in Keighley and Ilkley describe themselves as White compared with 61.1% in the district. Other ethnic groups account for 0.8% of the Keighley and Ilkley population (767) compared to 2.0% of the Bradford district.

Figure 2: Proportion of population by ethnicity – Census 2021



Data Source: www.ons.gov.uk

2. Wider Determinants of Health

2.1 Children (aged under 16) in absolute low income families.

In 2025, Keighley and Ilkley had an estimated 30.2% of children (aged under 16) in low income families, lower than the Bradford district with 39.3%.

Keighley Central ward had an estimated 55.6% of children in (approximately 2,518 children) in low income families the highest within Keighley and Ilkley followed by Keighley West ward at 35.3% of children (approximately 1,356).

Ilkley ward has the lowest estimated number and rate of children, 127 (5.7%) in absolute low income families with five of the six wards below the Bradford district rate.

Table 4: Number and proportion of children in absolute low income families by ward, Keighley and Ilkley and Bradford district - 2025


Children (aged under 16 in absolute low income families - 2025)	Number and Percentage	
	(n)	(%)
Craven	367	12.4%
Ilkley	127	5.7%
Keighley Central	2,518	55.6%
Keighley East	1,153	31.5%
Keighley West	1,356	35.3%
Worth Valley	361	16.5%
Keighley and Ilkley	5,877	30.2%
Bradford	49,390	39.3%

Data Source: Department for Work and Pensions (www.gov.uk)

When analysing trends since 2022, two of the six wards within Keighley and Ilkley have seen a decrease in children in absolute low income families, with Keighley Central having the largest decrease of 6.5 percentage points when comparing 2025 to 2022.

Ilkley remains the ward with the lowest rate within Keighley and Ilkley with Keighley Central the highest since 2022. In 2025, the gap between Keighley Central and the Bradford district is 16.3 percentage points.

Figure 3: Proportion of children in absolute low income families by ward, Keighley and Ilkley and Bradford district, 2022 to 2025



Data Source: Department for Work and Pensions (www.gov.uk)

2.2 Fuel Poverty (Lower Super Output Area ((LSOA)) to best fit ward

The estimated proportion of households in an area that experience fuel poverty based on the "Low Income Low Energy Efficiency" (LILEE) methodology. In 2024, there was an estimated 4,686 (10.7%) of households in Keighley and Ilkley in fuel poverty which is lower than the Bradford district with 12.2% in the district.


Table 5: Number and proportion of households in fuel poverty, 2024 by ward, Keighley and Ilkley and Bradford District

Households in fuel poverty	Number of households	Number of households in fuel poverty	Percentage of households in fuel poverty
Craven	8525	753	8.8%
Ilkley	7066	549	7.8%
Keighley Central	6278	1011	16.1%
Keighley East	7541	786	10.4%
Keighley West	7563	882	11.7%
Worth Valley	6960	705	10.1%
Keighley and Ilkley	43,933	4,686	10.7%
Bradford	220,328	26,829	12.2%

Data Source: Department for Business, Energy and Industrial Strategy using best fit LSOA to ward.

The estimated proportion of households in fuel poverty in Keighley and Ilkley ranged between 7.8% (Ilkley) and 16.1% (Keighley Central). Five of the six wards in Keighley and Ilkley were lower than the Bradford district of 12.2% with four wards lower than the Keighley and Ilkley estimate of 10.7%.

Figure 3: Proportion of households in fuel poverty by ward, Keighley and Ilkley and Bradford district, 2024



Department for Business, Energy and Industrial Strategy using best fit LSOA to ward.

3. Life expectancy and causes of early death


3.1 Life Expectancy

2022-24 female life expectancy at birth rates for wards in Keighley and Ilkley is between 79.7 years (Keighley Central) and 86.0 years (Ilkley). Four of the six wards are above the Bradford district rate of 81.7 years and above the Keighley and Ilkley rate of 81.5 years.

Male life expectancy at birth rates for wards in Keighley and Ilkley is between 83.4 years in Ilkley ward and 71.6 years in Keighley Central ward. Four of the six wards are above the Bradford district rate of 77.0 years with five wards above the Keighley and Ilkley rate of 76.3 years.

When comparing the life expectancy at birth rate for female and male within Keighley and Ilkley there is a difference of 5.2 years.

Figure 4: Life Expectancy at birth, female and male by wards, Keighley and Ilkley and Bradford district – 2022-24



Data Source: www.fingertips.phe.org.uk

3.2 Premature mortality – cancer

The 2022-24 under 75 cancer mortality rate for Keighley and Ilkley is 127.2 per 100,000 population which is lower than the Bradford district rate of 132.6 per 100,000 population.

The under 75 cancer mortality rate within Keighley and Ilkley ranged from 164.4 per 100,000 population in Keighley West ward to 89.0 per 100,000 population in Ilkley ward.

Three wards in Keighley and Ilkley were above the Bradford district rate (132.6 per 100,000 population) and the Keighley and Ilkley rate (127.2 per 100,000 population).

Figure 5: Under 75 cancer mortality rate per 100,000 population by wards, Keighley and Ilkley and Bradford district – 2022-24



Data Source: www.fingertips.phe.org.uk


3.3 Premature mortality - cardiovascular disease (CVD)

The 2022-24 under 75 cardiovascular disease mortality rate for Keighley and Ilkley is 86.6 per 100,000 population is lower than the Bradford district rate of 113.6 per 100,000 population.

The under 75 cardiovascular disease mortality rate within Keighley and Ilkley ranged from 41.8 per 100,000 population in Ilkley ward to 161.1 per 100,000 population in Keighley Central ward.

Five of the six wards were below the Bradford district rate (113.6 per 100,000 population) with three wards below the Keighley and Ilkley rate (86.6 per 100,000 population).

Figure 6: Under 75 cardiovascular disease mortality rate per 100,000 population by wards, Keighley and Ilkley and Bradford district – 2022-24



Data Source: www.fingertips.phe.org.uk

3.4 Premature mortality – respiratory disease

The 2022-24 under 75 respiratory disease mortality rate for Keighley and Ilkley is 28.8 per 100,000 population which is lower than the Bradford district rate of 47.3 per 100,000 population.

The under 75 respiratory disease mortality rate within Keighley and Ilkley ranged from 65.7 per 100,000 population in Keighley West to 6.3 per 100,000 population in Ilkley.

Five of the six wards were below the Bradford district rate of 47.3 per 100,000 population with three wards below the Keighley and Ilkley rate (28.8 per 100,000 population).

Figure 7: Under 75 respiratory disease mortality rate per 100,000 population by wards, Keighley and Ilkley and Bradford district – 2022-24



Data Source: www.fingertips.phe.org.uk

4. Child Health


4.1 Infant Mortality

The 2022-24 infant mortality rate for Keighley and Ilkley, 8.6 per 1,000 live births is higher than the Bradford rate of 7.2 per 1,000 live births.

The infant mortality rate for wards within Keighley and Ilkley ranged between 0.0 per 1,000 live births in Worth Valley to 14.7 per 1,000 live births in Keighley East.

Two wards (Keighley Central and Keighley East) have a higher infant mortality rate than the Bradford district rate (7.2 per 1,000 live births) and the Keighley and Ilkley rate (8.6 per 1,000 live births). The gap between Keighley and Ilkley and the Bradford district is 1.4 per 1,000 live births.

Figure 8: Infant mortality rate 1,000 live births by wards, Keighley and Ilkley and Bradford district – 2022-24




Data Source: www.fingertips.phe.org.uk

Since 2012/14 whilst there has been no specific year on year trends in infant mortality rates across all wards, when compared to 2012/14, Keighley and Ilkley has seen an increase in infant mortality rates, in addition, four of the six wards within Keighley and Ilkley have also seen an increase in infant mortality rates; this is reflected in the Bradford district rate.

Keighley West and Worth Valley have seen a decrease in 2022/24 when compared to 2012/14 infant mortality rates, with Keighley West ward decreasing by 6.4 per 1,000 live births.

Figure 9: Infant Mortality rate 1,000 live births by wards, Keighley and Ilkley and Bradford district 2012/14 to 2022/24.



Data Source: www.fingertips.phe.org.uk

4.2 Reception excess weight

The National Child Measurement Programme (NCMP) collects height and weight measurements of reception aged children and year 6 children, primarily in mainstream state-maintained schools in England. Local authorities are mandated to collect data from mainstream state-maintained schools.¹


¹ [Fingertips | Department of Health and Social Care](https://www.fingertips.phe.org.uk)

The three year (2022-23 to 2024-25) prevalence of 23.5% for reception aged children who are overweight (including obesity) in Keighley and Ilkley is higher than the Bradford district prevalence of 22.5%.

The prevalence of reception aged children who are overweight (including obesity) for wards in Keighley and Ilkley ranges from 17.9% Ilkley ward to 27.7% in Keighley West.

Four wards in Keighley and Ilkley are above the Bradford district with two wards above Keighley and Ilkley prevalence.


Figure 10: Proportion of reception aged children who are overweight (including obesity) by wards, Keighley and Ilkley and Bradford district – 2022-23 to 2024-25.



Data Source: www.fingertips.phe.org.uk

When comparing 2022/23 - 2024/25 to 2010/11 - 2012/13, four wards in Keighley and Ilkley have increased, Craven, Keighley Central, Keighley East and Keighley West. The biggest decrease observed was Worth Valley with 5.2 percentage points.

Figure 11: Proportion of reception aged children who are overweight (including obesity) by wards, Keighley and Ilkley and Bradford district 2012/13 – 2014/15 to 2022/23 -2024/25.




Data Source: www.fingertips.phe.org.uk

4.3 Year 6 excess weight

The three year (2022-23 to 2024-25) prevalence of 36.2% for year 6 aged children who are overweight (including obesity) in Keighley and Ilkley is lower than the Bradford district prevalence of 39.7%.

The prevalence of year 6 aged children who are overweight (including obesity) for wards in Keighley and Ilkley ranges from 44.5% in Keighley West to 19.5% in Ilkley. Two wards in Keighley and Ilkley were above the Bradford district prevalence with three of the six wards above the Keighley and Ilkley prevalence.


Figure 12: Proportion of year 6 aged children who are overweight (including obesity) by wards, Keighley and Ilkley and Bradford district – 2022-23 to 2024-25.



Data Source: www.fingertips.phe.org.uk

When comparing 2022/23 - 2024/25 to 2010/11 - 2012/13, four wards in Keighley and Ilkley have increased which is reflected at district and constituency level. Two wards have decreased with largest decrease observed was Worth Valley ward with 7.5 percentage points.

Figure 13: Proportion of year 6 aged children who are overweight (including obesity) by wards, Keighley and Ilkley and Bradford district 2012/13 – 2014/15 to 2022/23 -2024/25.



Data Source: www.fingertips.phe.org.uk

5. Mental Health


5.1 Depression

Interpret with caution - estimated prevalence using best fit GP practice to individual ward.

In 2024-25, there was an estimated 1.2% of patients aged 18 and over with depression, marked as 'newly diagnosed' on GP patient records in Keighley and Ilkley this is lower than 1.3% in the Bradford district.

The estimated prevalence within Keighley and Ilkley ranged from 1.4% (Keighley Central and Keighley West) to 0.4% (Keighley East). Four of the six wards were below the Bradford district rate of 1.3% with three wards below the Keighley and Ilkley estimated prevalence of 1.2%.

Figure 14: Patients aged 18 and over with depression (newly diagnosed) by ward, Keighley and Ilkley and Bradford district, 2024-25



Data Source: www.fingertips.phe.org.uk using estimated percentage of adults age 18+ with depression (new diagnosis) - (GP by LSOA and the LSOA to ward of best fit data)


5.2 Mental Health

Interpret with caution - estimated prevalence using best fit GP practice to individual ward.

The estimated mental health prevalence – all ages, (patients with schizophrenia, bipolar affective disorder and other psychoses as recorded on practice disease registers) in Keighley and Ilkley in 2024/25 is 1.2%, which is the same as the Bradford district estimated prevalence.

The estimated prevalence within Keighley and Ilkley ranged from 0.9% (Craven, Ilkley and Keighley East) to 1.5% in Worth Valley. Four of the six wards were below the Bradford district and Keighley and Ilkley estimated prevalence (1.2%).

Figure 15: Mental health prevalence, all ages by ward, Keighley and Ilkley and Bradford district, 2024-25



Data Source: www.fingertips.phe.org.uk using estimated percentage of people (all ages) with a mental health condition (GP by LSOA and the LSOA to ward of best fit data)

6. Disease and Poor Health

6.1 Coronary Heart Disease (CHD), Chronic Obstructive Pulmonary Disease (COPD), Dementia, Diabetes


Interpret with caution - estimated prevalence using best fit GP practice to individual ward.

In 2024-25, Ilkley was estimated to have the highest prevalence of CHD (all ages) at 4.2% higher than Bradford district at 3.1% and Keighley and Ilkley at 3.8%. The prevalence estimates for COPD (all ages) within Keighley and Ilkley ranged from 2.5% (Keighley East) to 1.5% (Ilkley)

For Diabetes (17+ years), Keighley Central is estimated to have the highest prevalence at 15.6% followed by Keighley West with 12.2% higher than the Bradford district at 10.4% and Keighley and Ilkley estimated prevalence at 9.3%.

Ilkley ward is estimated to have the highest prevalence of dementia (all ages) with 1.8% higher than the Bradford district at 0.7% and Keighley and Ilkley estimated prevalence at 1.1%.

Figure 16: Coronary Heart Disease (CHD), Chronic Obstructive Pulmonary Disease (COPD), Dementia, Diabetes prevalence by wards, Keighley and Ilkley and Bradford district, 2024-25



Data Source: www.fingertips.phe.org.uk using estimated percentage GP population, GP by LSOA and the LSOA to ward of best fit data.

6.2 Obesity


Interpret with caution - estimated prevalence using best fit GP practice to individual ward.

The estimated percentage of patients (18 years and over) living with obesity in Keighley and Ilkley is 16.1%, lower than the Bradford district estimated prevalence of 17.0%. Both Keighley and Ilkley and Bradford district have increased in 2024/25 when compared to 2023/24, increases have also been observed for the six wards in Keighley and Ilkley.

In 2024/25, Keighley West is estimated to have the highest prevalence of obesity at 17.3%% followed by Worth Valley at 16.9%.

Ilkley has the lowest estimated prevalence with 11.8%, a difference of 5.2 percentage points when compared to the Bradford district rate of 17.0%.

Figure 17: Estimated prevalence of patients living with obesity, by ward, Keighley and Ilkley and Bradford district, 2024/25.



Data Source: www.fingertips.phe.org.uk using estimated percentage of adults age 18+ that are obese (GP by LSOA and the LSOA to ward of best fit data)


6.3 Smoking Prevalence

Interpret with caution - estimated prevalence using best fit GP practice to individual ward.

The estimated percentage of patients (aged 15 years and over) who are recorded as current smokers within Keighley and Ilkley is 14.0% which is lower than the Bradford district estimated prevalence of 16.5%. Wards within Keighley and Ilkley ranges from 18.2% in Worth Valley to 6.7% in Ilkley.

Five of the six wards within Keighley and Ilkley are below the Bradford district prevalence of 16.5% with four wards below the Keighley and Ilkley prevalence at 14.0%.

Figure 18: Estimated smoking prevalence (15 years +) by ward, Keighley and Ilkley and Bradford district, 2024/25.



Data Source: www.fingertips.phe.org.uk using estimated percentage of people aged 15+ that are smokers (GP by LSOA and the LSOA to ward of best fit data)

7. Area Profile Summary

Keighley and Ilkley

The chart shows how people's health and wellbeing within this area compares to the Bradford district. Values are rated using the RAG system where:

Red = worse than district average

Amber = same as district average

Green = better than district average

Indicator	Unit	Time Period	Bradford	Keighley and Ilkley	Craven	Ilkley	Keighley Central	Keighley East	Keighley West	Worth Valley
Wider Determinants of Health										
Children in absolute low income families (under 16)	%	2025	39.3%	30.2%	12.4%	5.7%	55.6%	31.5%	35.3%	16.5%
Fuel Poverty	%	2024	12.2%	10.7%	8.8%	7.8%	16.1%	10.4%	11.7%	10.1%
Life Expectancy and Causes of Early Death										
Life Expectancy at birth - Females	Years	2022-24	81.7	81.5	83.9	86.0	79.7	81.3	82.4	85.0
Life Expectancy at birth - Males	Years	2022-24	77.0	76.3	79.5	83.4	71.6	78.1	76.8	80.9
Premature mortality - Cancer (Under 75)	per 100,000	2022-24	132.6	127.2	109.6	89.0	161.9	140.6	164.4	108.9
Premature mortality - Cardiovascular diseases (CVD) - Under 75	per 100,000	2022-24	113.6	86.6	68.3	41.8	161.1	91.3	97.3	75.6
Premature mortality (Under 75) - Respiratory	per 100,000	2022-24	47.3	28.8	15.9	6.3	43.4	38.3	65.7	12.6
Child Health										
Infant Mortality	%	2022-24	7.2	8.6	4.6	4.6	14.4	14.7	3.3	0.0
Reception excess weight	%	2022/23 - 2024/25	22.5%	23.5%	22.8%	17.9%	21.4%	25.2%	27.7%	23.4%
Year 6 excess weight	%	2022/23 - 2024/25	39.7%	36.2%	28.8%	19.5%	44.0%	39.0%	44.5%	26.8%
Mental Health										
Depression prevalence (18 years +)	%	2024-25	1.3%	1.2%	0.8%	0.9%	1.4%	0.4%	1.4%	1.2%
Mental Health prevalence (all ages)	%	2024-25	1.2%	1.2%	0.9%	0.9%	1.0%	0.9%	1.3%	1.5%
Disease and Poor Health										
Coronary heart disease (CHD) - all ages	%	2024-25	3.1%	3.8%	3.0%	4.2%	3.3%	4.0%	2.9%	1.0%
Chronic obstructive pulmonary disease (COPD) - all ages	%	2024-25	2.0%	2.1%	2.0%	1.5%	1.6%	2.5%	2.4%	1.8%
Dementia - all ages	%	2024-25	0.7%	1.1%	1.0%	1.8%	1.2%	1.4%	1.0%	0.5%
Diabetes - 17 years +	%	2024-25	10.4%	9.3%	8.9%	8.9%	15.9%	8.4%	12.2%	3.7%
Obesity - 18 years +	%	2024-25	17.0%	16.1%	12.9%	11.8%	13.7%	16.8%	17.3%	16.9%
Smoking Prevalence (15 years +)	%	2024-25	16.5%	14.0%	6.8%	6.7%	11.8%	7.3%	15.7%	18.2%

Further information:

The Joint Strategic Needs Assessment (JSNA) provides information on the current and future health and wellbeing needs of people in Bradford District visit <https://jsna.bradford.gov.uk>

For further details regarding the population and economy for Keighley and Ilkley constituency visit: <https://www.bradford.gov.uk/understanding-bradford-district/constituency-and-ward-profiles/constituency-profiles/>

Date: September 2026

Review date: January 2027