



Reducing
Inequalities
Alliance

Bradford District and Craven
Health and Care Partnership



Keighley and Worth Valley Community Partnership


Core20Plus5 Data Set
V2 March 2024



Introduction

- The information in these slides is intended to identify local health needs and to support decision-making in communities as part of the [Core20PLUS5](#) approach. The slides focus on deprivation, smoking and the five clinical areas included in Core20PLUS5 (Maternity, Severe Mental Illness, Chronic Respiratory Disease, early Cancer diagnosis, Hypertension case-finding).
- For information on Inclusion Health please see Inclusion Health in Bradford and Craven 2024 (in development, link to be added).
- The information in the slides is not related to performance and the slides do not provide a performance assessment of organisations.
- Other sources of information about health in local areas include the Joint Strategic Needs Assessments for [Bradford](#) and [Craven](#) produced by the Local Authority Public Health teams, and the [Office for Health Improvement and Disparities \(OHID\)](#).
- Please contact anna.smith2@bradford.nhs.uk with any queries or requests.






Keighley and Worth Valley
main wards

Keighley Central

Keighley East

Keighley West

Worth Valley



Decile 1 is most deprived

Darker shading shows areas of
higher deprivation

Keighley and Worth Valley CP Summary

- Areas of high deprivation in Keighley
- High numbers smoking in Keighley
- Keighley Central: high premature mortality (all causes), high premature mortality from circulatory disease and from cancer, high rates of low birth weight and infant mortality
- Keighley West: high incidence (new cases) of all cancers and lung cancer
- Keighley Central, Keighley West: high Year 6 obesity, high emergency admissions with COPD
- Low completeness of health checks in severe mental illness, low flu vaccinations for people with COPD



Overview: Keighley and Worth Valley

Measure	Keighley Central	Keighley East	Keighley West	Worth Valley	Bradford average	Bradford highest	Bradford lowest
Percentage aged under 5 (2020, England 5.7)	7.7	6.3	7.3	4.6	7.0	9.4	3.6
Percentage aged 65+ (2020, England 18.5)	12.7	18.3	16.6	21.6	15.1	29.0	5.7
Overall deprivation (2019, England 21.7)	48.9	26.5	39.9	16.1	34.7	59.8	5.9
Year 6 obesity (2020/21-22/23, England 22.5)	33.3	27.8	30.8	18.4	26.7	33.3	10.2
Standardised premature mortality (2016-20, England 100.00)	167.7	103.6	128.0	74.7	122.4	195.4	63.4

Key				
Continuous grading				
District lowest				District highest
Statistical difference				
	Worse than district average			
	Better than district average			
	Similar to district average			




Smoking

Community Partnership	Smoking prevalence 22/23
Affinity	19.64%
Keighley and Worth Valley	16.88%
Bingley Bubble	10.87%
Bradford 4 Plus	23.09%
Central 5	21.24%
Craven Communities Together	10.88%
Five Lane	21.37%
Horton and City Health Collaboration	16.41%
Quadrant	18.28%
Together 4 Health	19.74%
Wharfedale	7.21%
WISHH	15.73%
WoW	21.82%
Bradford district and Craven	17.59%


Key				
Continuous grading				
District lowest				District highest



Keighley and Worth Valley: smoking



Ward	People smoking
Keighley West	3,303
Keighley Central	2,926
Keighley East	2,610
Worth Valley	1,584



Maternity: Keighley and Worth Valley

Measure	Keighley Central	Keighley East	Keighley West	Worth Valley	Bradford average	Bradford highest	Bradford lowest
Low birth weight (2016-20, England 6.8)	10.7	8.5	8.6	5.7	8.1	10.7	3.3
% Antenatal bookings with gestation over 10 weeks	45.9	38.9	36.7	36.2	50.4	59.7	23.6
Infant mortality 2019-21 (deaths per 1,000 live births, England 3.9)	15.8	1.7	5.1	9.0	6.4	15.8	0.0

Key				
Continuous grading				
District lowest				District highest
Statistical difference				
	Worse than district average			
	Better than district average			
	Similar to district average			



Severe Mental Illness

Community Partnership	SMI prevalence Dec 23	Annual health checks Apr - Dec 23
Affinity	1.15%	57.06%
Keighley and Worth Valley	1.26%	49.18%
Bingley Bubble	0.91%	53.69%
Bradford 4 Plus	1.15%	65.63%
Central 5	1.36%	63.43%
Craven Communities Together	0.97%	52.99%
Five Lane	1.01%	66.40%
Horton and City Health Collaboration	0.99%	70.89%
Quadrant	1.24%	61.07%
Together 4 Health	1.15%	78.57%
Wharfedale & Silsden	0.81%	44.98%
WISHH	1.01%	57.68%
WoW	1.05%	48.21%
Bradford district and Craven	1.11%	58.83%

Severe mental illness: premature mortality	Standardised rate per 100,000
Bradford	109.8
North Yorkshire	87.2
Yorkshire and Humber	108.8
England	103.6

Key				
Continuous grading				
District lowest				District highest
District best				District worst
Statistical difference				
	Worse than regional and England averages			
	Similar to regional and England averages			
	Better than regional and England averages			

Chronic respiratory disease: Keighley and Worth Valley

Community Partnership	COPD prevalence Dec 23	% on COPD register with flu vaccination in current year	% on COPD register with 2nd COVID vaccination ever
Affinity	2.60%	76.60%	92.26%
Keighley and Worth Valley	2.30%	72.89%	91.24%
Bingley Bubble	2.00%	85.89%	94.13%
Bradford 4 Plus	3.54%	80.45%	94.05%
Central 5	1.38%	73.49%	85.28%
Craven Communities Together	1.95%	86.41%	94.48%
Five Lane	2.69%	79.18%	90.81%
Horton and City Health Collaboration	0.90%	68.50%	85.24%
Quadrant	1.67%	77.70%	90.85%
Together 4 Health	1.38%	67.62%	86.66%
Wharfedale & Silsden	1.41%	90.99%	97.85%
WISHH	2.33%	77.96%	93.79%
WoW	2.28%	71.38%	91.10%
Bradford district and Craven	2.03%	76.65%	91.48%

Key

Continuous grading

District lowest				District highest
District best				District worst

Statistical difference

- Worse than district average
- Better than district average
- Similar to district average

Measure	Keighley Central	Keighley East	Keighley West	Worth Valley	Bradford average	Bradford highest	Bradford lowest
Standardised all age mortality from respiratory disease (2016-20, England 100.0)	128.5	92.8	137.3	86.4	120.1	196.2	44.8
Standardised emergency hospital admissions for COPD (2016/17-20/21, England 100.0)	166.1	103.0	163.7	74.8	127.0	302.7	28.7

Early cancer diagnosis: Keighley and Worth Valley

Community Partnership	Bowel cancer screening in last 30 months aged 60-74	Breast cancer screening in last 30 months aged 50-70	Cervical screening in target period aged 35-64
Affinity	71.28%	58.39%	76.47%
Keighley and Worth Valley	72.21%	59.05%	65.12%
Bingley Bubble	77.20%	66.45%	80.00%
Bradford 4 Plus	66.13%	52.55%	69.46%
Central 5	60.60%	40.02%	60.97%
Craven Communities Together	79.13%	67.35%	76.96%
Five Lane	68.99%	53.88%	69.85%
Horton and City Health Collaboration	51.46%	37.52%	56.47%
Quadrant	64.16%	48.49%	58.78%
Together 4 Health	53.91%	36.30%	57.71%
Wharfedale & Silsden	81.62%	72.89%	82.56%
WISHH	73.36%	60.88%	76.15%
WoW	66.32%	51.30%	59.38%
Bradford district and Craven	70.04%	56.00%	67.05%

Key				
Continuous grading				
District best				District worst
Statistical difference				
	Worse than district average			
	Better than district average			
	Similar to district average			

Measure	Keighley Central	Keighley East	Keighley West	Worth Valley	Bradford average	Bradford highest	Bradford lowest
Standardised incidence (new cases) of all cancers (2015-19, England 100.0)	102.6	105.7	111.2	98.9	99.3	111.2	76.0
Standardised incidence (new cases) of lung cancer (2015-19, England 100.0)	125.9	92.9	159.2	85.4	111.1	197.3	52.5
Standardised premature mortality from cancer (2016-20, England 100.0)	149.5	93.8	121.4	78.8	109.1	149.5	76.3



Community Partnership	Hypertension prevalence Dec 23	Diabetes prevalence Dec 23
Affinity	18.26%	7.09%
Keighley and Worth Valley	14.96%	7.03%
Bingley Bubble	19.07%	5.90%
Bradford 4 Plus	15.04%	7.26%
Central 5	9.56%	8.50%
Craven Communities Together	19.89%	6.42%
Five Lane	14.57%	7.67%
Horton and City Health Collaboration	8.77%	8.08%
Quadrant	13.36%	8.48%
Together 4 Health	11.32%	9.62%
Wharfedale & Silsden	18.35%	4.91%
WISHH	17.16%	6.59%
WoW	13.48%	7.69%
Bradford district and Craven	14.45%	7.44%

High blood pressure (hypertension): Keighley and Worth Valley

- Estimated hypertension prevalence in England is about 26% of all adults
- Risk factors include older age and social deprivation
- Public Health England estimated in 2017 that for every 10 people diagnosed with hypertension another 7 remain undiagnosed and untreated
- Diabetes and hypertension may occur together

Key				
Continuous grading				
District lowest				District highest
Statistical difference				
	Worse than district average			
	Better than district average			
	Similar to district average			

Measure	Keighley Central	Keighley East	Keighley West	Worth Valley	Bradford average	Bradford highest	Bradford lowest
Standardised premature mortality from circulatory disease (2016-20, England 100.0)	197.6	115.3	143.3	77.9	142.6	261.7	56.2



Sources of information

Summary and Overview OHID Fingertips <https://fingertips.phe.org.uk/>

Smoking Quality and Outcomes Framework (QOF)

Maternity Birth weight: OHID Fingertips, Antenatal bookings: WY Maternity dashboard, Infant mortality: CBMDC Public Health

Severe Mental Illness Prevalence and health checks: locally obtained figures), Mortality: OHID Fingertips

Early cancer diagnosis Screening: locally obtained figures, Incidence and mortality: OHID Fingertips

Hypertension Prevalence: locally obtained figures, Mortality: OHID Fingertips, Hypertension risk factors and estimated prevalence: <https://cks.nice.org.uk/topics/hypertension/background-information/>

See also:

Joint Strategic Needs Assessments for [Bradford](#) and [Craven](#) produced by Local Authority Public Health teams

Inclusion Health in Bradford District and Craven: Rapid Health Needs Assessment 2024 (in development, link to be added)

Bradford ward profiles <https://ubd.bradford.gov.uk/district-and-ward-profiles/ward-profiles-2023/>